

CHOOSE YOUR COLOR
ELIJA SU COLOR



POLYBLEND[®] Grout Colors For Tile & Stone

Colores De Boquilla
Para Azulejos, Baldosas y Piedra



Saltillo Grout ■ 100% Solids Epoxy Grout

#1 **AMERICA'S** *Boquilla*
GROUT *Mas Usada*



POLYBLEND[®] Grout Colors

America's #1 Best Selling Grout is available in 48 contemporary colors to complement today's tile and stone.

Polyblend[®] Sanded and Non-Sanded Grout (all colors available)

Saltillo Grout (*denotes colors available)

100% Solids Epoxy Grout (all colors available)

Bright White #381

Snow White #11

Antique White #10

Alabaster #333

Bone #382

Linen #122

Butter Cream #17

Italian Straw #383

Fawn #156

Sahara Tan* #22



Summer Wheat

#45

Haystack

#380

Light Smoke

#145

Earth

#105

Tobacco Brown

#52

Sable Brown

#95

Sandstone

#180

Chaparral

#35

Camel

#384

Nutmeg

#50

Quarry Red Clay*

#96

Canvas

#365

Quartz

#101



Oyster Gray

#386



Mushroom

#135



New Taupe

#185



Driftwood

#385



Rose Beige

#390



Pale Mauve

#195



Black Cherry

#410



Lipstick

#420



Arctic Ice

#301



Ocean Blue

#90



Captain's Blue

#387



Midnight Blue

#405



Concord Grape

#415



Moss #311



Bay Leaf #190



Mallard Green #388



North Sea Green #389



Onyx Green #305



Platinum #115



Natural Gray* #9



Delorean Gray #165



Winter Gray #335



Pewter #19



Dove Gray #370



Charcoal #60

Sample colors shown approximate as nearly as possible the color of the grout. Final installed shade may vary due to differing installation techniques and job site conditions.



	Polyblend Sanded	Polyblend Non-Sanded	Salttillo Grout Mix	100% Solids Epoxy Grout
For joint widths up to 1/8"		■		■
For joint widths 1/8" to 1/2"	■			■
For joint widths 3/4" to 1-1/4"			■	
Highly durable joints resistant to shrinking and cracking	■	■	■	■
Interior application	■	■	■	■
Exterior application	■	■	■	■
Mix with water	■	■	■	
Maximum stain resistance for commercial installations				■

Grouting Tips

- If using more than one bag of grout, mix all dry powder together first to ensure color consistency.
- Make sure grout joints are completely filled.
- Minimal clean-up water should be used to ensure proper grout curing.
- For cleaning, use clean water and a grout sponge, changing water frequently.



Coverage

How much grout do I need?

PROJECT SIZE	TILE SIZE	Polyblend Sanded	Polyblend Non-Sanded
		Number of 25 lb. Bags	Number of 10 lb. Boxes
50 Sq. Ft.	Up to 24"	1	1
100 Sq. Ft.	Up to 6"	1	2
	6" - 24"	1	1
200 Sq. Ft.	Up to 8"	2	2
	10" - 16"	2	2
	18" - 24"	1	1

Coverage applicable for grout joint widths 1/8" to 1/4" for Sanded Grout; 1/16" to 1/8" for Non-Sanded Grout. Amounts rounded to ensure proper coverage.

How many square feet can I grout?

TILE SIZE	Polyblend Sanded					Polyblend Non-Sanded	
	Sq. Ft. per 25 lb. Bag					Sq. Ft. per 10 lb. Box	
TILE SIZE	JOINT SIZE					JOINT SIZE	
	1/8"	3/16"	1/4"	3/8"	1/2"	1/16"	1/8"
1" x 1" x 1/4"	63	40	25	23	20	44	20
2" x 2" x 1/4"	88	73	50	40	33	85	40
3" x 3" x 1/4"	150	103	80	55	45	126	60
4-1/4" x 4-1/4" x 1/4"	210	143	110	75	60	149	78
6" x 6" x 1/4"	263	178	136	93	70	250	120
8" x 8" x 3/8"	230	155	113	75	50	220	110
12" x 12" x 3/8"	345	230	175	118	90	331	171
16" x 16" x 3/8"	458	305	225	144	94	370	185
20" x 20" x 3/8"	567	381	280	189	142	453	227
24" x 24" x 3/8"	685	458	325	225	150	659	330

TILE SIZE	Saltillo Grout Mix			100% Solids Epoxy Grout			
	Sq. Ft. per 50 lb. Bag			Sq. Ft. per Unit			
TILE SIZE	JOINT SIZE			JOINT SIZE			
	3/4"	1"	1-1/4"	1/8"	3/16"	1/4"	3/8"
1" x 1" x 1/4"	N/A	N/A	N/A	55	43	31	23
2" x 2" x 1/4"	N/A	N/A	N/A	110	74	60	45
3" x 3" x 1/4"	N/A	N/A	N/A	155	106	82	58
4-1/4" x 4-1/4" x 1/4"	N/A	N/A	N/A	215	147	110	80
6" x 6" x 1/4"	N/A	N/A	N/A	295	204	155	106
8" x 8" x 3/8"	N/A	N/A	N/A	267	201	136	92
8" x 8" x 3/4"	37	30	25	N/A	N/A	N/A	N/A
12" x 12" x 3/8"	55	42	35	396	299	202	136
16" x 16" x 3/8"	80	60	50	527	397	267	176
20" x 20" x 3/8"	90	70	60	664	499	334	224
24" x 24" x 3/8"	110	84	70	802	599	396	267

CHOOSE YOUR GROUT



Polyblend® Grout

Polyblend Grout produces hard, dense joints that are resistant to shrinking, cracking and wear while ensuring color consistency and quick setting. It spreads quickly and easily for professional results every time. Just add water and mix. Exceeds ANSI A118.6.

Saltillo Grout

Fills wide grout joints used for installing Saltillo, terra-cotta or quarry tile.

100% Solids Epoxy Grout

For installations requiring high resistance to staining or chemical attacks, Epoxy Grout is easy to work with and cleans up fast. Mixes with any Polyblend color. Exceeds ANSI A118.3.

Use Custom products for a quality tile or stone installation that's covered by a Lifetime Warranty. Look for the warranty symbol on Custom packages.



CUSTOM[®]
BUILDING PRODUCTS

Custom Building Products
Seal Beach, CA 90740
Nationwide manufacturing facilities.

Customer Support
800-272-8786
www.custombuildingproducts.com